Author Index

Almond, N., Jones, S., Heath, A.B. and Kitchin, P.A., The assessment of nucleotide sequence diversity by the polymerase chain reaction is highly reproducible, 37
Aoki, F.Y., see Blondeau, J.M., 323
Asher, Y., see Becker, Y., 307

Bååth, L., Widell, A. and Nordenfelt, E., A comparison between one first generation and three second generation anti-HCV ELISAs: an investigation in high- and low-risk subjects in correlation with recombinant immunoblot assay and polymerase chain reaction, 287
Bagasra, O., see Seshamma, T., 331
Becker, Y., Asher, Y., Tabor, E., Davidson, I., Malkinson, M. and Weisman, Y., Polymerase chain reaction for differentiation between pathogenic and non-pathogenic serotype 1 Marek's disease viruses (MDV) and vaccine viruses of MDV-serotypes 2 and 3, 307
Beilke, M.A., Detection of HTLV-I in clinical specimens, 133
Bergamini, A., Perno, C.F., Capozzi, M., Mannella, E., Salanitro, A., Caliò, R. and Rocchi, G., A tetrazolium-based colorimetric assay for quantification of HIV-1-induced cytopathogenicity in monocyte-macrophages exposed to macrophage-colony-stimulating factor, 275
Blondeau, J.M. and Aoki, F.Y., In vitro reactivation of latent herpes simplex virus by the demethylating compound hexamethylene-*bis*-acetamide, 323
Boulanger, D., see Mignon, B., 85
Brodeur, B.R., see Tackaberry, E.S., 175
Brown, D.W.G., see Knowles, W.A., 95

Caburet, F., see Gozlan, J., 1
Caliò, R., see Bergamini, A., 275
Cane, P.A. and Pringle, C.R., Molecular epidemiology of respiratory syncytial virus: rapid identification of subgroup A lineages, 297
Capozzi, M., see Bergamini, A., 275
Carabell, S.K., see Stark, J.M., 225
Chambers, S., see Hilton, D.A., 155
Charman, H., see Pillay, D., 219
Chen, J.-Y., see Liu, M.-Y., 107
Chomel, J.-J., see Duverlie, G., 77
Coelen, R.J., see Sellner, L.N., 255
Cotton, R.G.H., see Lin, B., 205

Davidson, I., see Becker, Y., 307
Day, C., see Hilton, D.A., 155
De Zwart-Steffe, R.T., see Konya, J., 183
Dubuisson, J., see Mignon, B., 85
Duverlie, G., Houbart, L., Visse, B., Chomel, J.-J., Manuguerra, J.-C., Hannoun, C. and Orfila, J., A nylon membrane enzyme immunoassay for rapid diagnosis of influenza A infection, 77

Eberle, J. and Seibl, R., A new method for measuring reverse transcriptase activity by ELISA, 347

Fletcher, A., see Hilton, D.A., 155

Garson, J.A., see Tuke, P.W., 163
Gibson, P.E., see Knowles, W.A., 95
Gozlan, J., Caburet, F., Tancrede, C. and Petit, J.-C., A reverse polymerase chain reaction method for detection of human cytomegalovirus late transcripts in cells infected in vitro, 1
Griffiths, P.D., see Pillay, D., 219

Hagedorn, C., see Ijzerman, M.M., 31
Hamel, J., see Tackaberry, E.S., 175
Hand, J.F., see Knowles, W.A., 95
Hannoun, C., see Duverlie, G., 77
Hataya, T., see Ohshima, K., 265
Hayashi, Y., see Ohshima, K., 265
Heath, A.B., see Almond, N., 37
Hilton, D.A., Day, C., Pringle, J.H., Fletcher, A. and Chambers, S., Demonstration of the distribution of Coxsackie virus RNA in neonatal mice by non-isotopic in situ hybridization, 155
Houbart, L., see Duverlie, G., 77
Hsu, T.-Y., see Liu, M.-Y., 107

Ijzerman, M.M. and Hagedorn, C., Improved method for coliphage detection based on β-galactosidase induction, 31
Imagawa, D.T., see Urabe, T., 145
Inoue, A.K., see Ohshima, K., 265
Ishida, S., see Matsumoto, T., 119
Itagaki, A., see Matsumoto, T., 119

Jones, S., see Almond, N., 37

Kamahora, T., see Matsumoto, T., 119
Kit, S., Otsuka, H. and Kit, M., Blocking ELISA

for distinguishing infectious bovine rhinotracheitis virus (IBRV)-infected animals from those vaccinated with a gene-deleted marker vaccine, 45
Kit, M., see Kit, S., 45
Kitchin, P.A., see Almond, N., 37
Knowles, W.A., Gibson, P.E., Hand, J.F. and Brown, D.W.G., An M-antibody capture radioimmunoassay (MACRIA) for detection of JC virus-specific IgM, 95
Konya, J., Thompson, C.H. and De Zwart-Steffe, R.T., Enzyme-linked immunosorbent assay for measurement of IgG antibody to Molluscum contagiosum virus and investigation of the serological relationship of the molecular types, 183
Kuhl, R., see Tackaberry, E.S., 175
Kurimura, T., see Matsumoto, T., 119
Kusakabe, H., see Urabe, T., 145

Larose, Y., see Tackaberry, E.S., 175
Lee, L.H., Yu, S.L. and Shieh, H.K., Detection of infectious bursal disease virus infection using the polymerase chain reaction, 243
Lee, M.H., see Urabe, T., 145
Lin, B., Cotton, R.G.H., Trent, D.W. and Wright, P.J., Geographical clusters of dengue virus type 2 isolates based on analysis of infected cell RNA by the chemical cleavage at mismatch method, 205
Liu, M.-Y., Pai, C.-Y., Shieh, S.-M., Hsu, T.-Y., Chen, J.-Y. and Yang, C.-S., Cloning and expression of a cDNA encoding the Epstein-Barr virus thymidine kinase gene, 107
Lok, J., see Pillay, D., 219
Luton, P., see Tuke, P.W., 163

Mackenzie, J.S., see Sellner, L.N., 255
Malkinson, M., see Becker, Y., 307
Mannella, E., see Bergamini, A., 275
Manuguerra, J.-C., see Duverlie, G., 77
Marshall, D.R. and Silva, R.F., Plasmid-associated effects on test gene expression and Marek's disease virus plaque formation during recombination trials, 195
Matsumoto, T., Yamada, O., Itagaki, A., Ishida, S., Kamahora, T. and Kurimura, T., Rapid DNA diagnosis of herpes simplex virus serotypes, 119
Mignon, B., Waxweiler, S., Thiry, E., Boulanger, D., Dubuisson, J. and Pastoret, P.-P., Epidemiological evaluation of a monoclonal ELISA detecting bovine viral diarrhoea pestivirus antigens in field blood samples of persistently infected cattle, 85
Mizoguchi, J., see Urabe, T., 145
Morris, M.E., see Stetler, R.E., 67

Nakai, M., see Urabe, T., 145
Nakaya, T., see Ohshima, K., 265
Nordenfelt, E., see Bååth, L., 287

Oakes, J.W., see Seshamma, T., 331
Ohshima, K., Nakaya, T., Inoue, A.K., Hataya, T., Hayashi, Y. and Shikata, E., Production and characteristics of strain common antibodies against a synthetic polypeptide corresponding to the C-terminal region of potato virus Y coat protein, 265
Orfila, J., see Duverlie, G., 77
Otani, M., see Urabe, T., 145
Otsuka, H., see Kit, S., 45

Pai, C.-Y., see Liu, M.-Y., 107
Pastoret, P.-P., see Mignon, B., 85
Perno, C.F., see Bergamini, A., 275
Petit, J.-C., see Gozlan, J., 1
Pillay, D., Charman, H., Lok, J. and Griffiths, P.D., Detection of cytomegalovirus by a rapid culture system: a comparison of monoclonal antibodies in a clinical setting, 219
Pomerantz, R.J., see Seshamma, T., 331
Pringle, C.R., see Cane, P.A., 297
Pringle, J.H., see Hilton, D.A., 155

Ritzi, E.M., Quantitative flow cytometry of mouse mammary tumor virus envelope glycoprotein (gp52): alternative measures of hormone-mediated change in a viral cell surface antigen, 11
Robinson, D.J., Detection of tobacco rattle virus by reverse transcription and polymerase chain reaction, 57
Rocchi, G., see Bergamini, A., 275

Safferman, R.S., see Stetler, R.E., 67
Salanitro, A., see Bergamini, A., 275
Sano, K., see Urabe, T., 145
Seibl, R., see Eberle, J., 347
Sellner, L.N., Coelen, R.J. and Mackenzie, J.S., A one-tube, one manipulation RT-PCR reaction for detection of Ross River virus, 255
Seshamma, T., Bagasra, O., Oakes, J.W. and Pomerantz, R.J., A quantitative reverse transcriptase-polymerase chain reaction for HIV-1-specific RNA species, 331
Shieh, H.K., see Lee, L.H., 243
Shieh, S.-M., see Liu, M.-Y., 107
Shikata, E., see Ohshima, K., 265
Silva, R.F., see Marshall, D.R., 195
Stark, J.M., van Egmond, A.W.A., Zimmerman,

J.J., Carabell, S.K. and Tosi, M.F., Detection of enhanced neutrophil adhesion to parainfluenza-infected airway epithelial cells using a modified myeloperoxidase assay in a microtiter format, 225
Stetler, R.E., Morris, M.E. and Safferman, R.S., Processing procedures for recovering enteric viruses from wastewater sludges, 67

Tabor, E., see Becker, Y., 307
Tackaberry, E.S., Hamel, J., Larose, Y., Kuhl, R. and Brodeur, B.R., Monoclonal anti-idiotypes for the rapid detection of human cytomegalovirus, 175
Takasaki, T., see Urabe, T., 145
Tancrede, C., see Gozlan, J., 1
Tanno, M., see Urabe, T., 145
Thiry, E., see Mignon, B., 85
Thompson, C.H., see Konya, J., 183
Tosi, M.F., see Stark, J.M., 225
Trent, D.W., see Lin, B., 205
Tuke, P.W., Luton, P. and Garson, J.A., Differential diagnosis of HTLV-I and HTLV-II infections by restriction enzyme analysis of 'nested' PCR products, 163

Urabe, T., Sano, K., Tanno, M., Mizoguchi, J., Otani, M., Lee, M.H., Takasaki, T., Kusakabe, H., Imagawa, D.T. and Nakai, M., A non-radioisotopic reverse transcriptase assay using biotin-11-deoxyuridinetriphosphate on primer-immobilized microtiter plates, 145

van Egmond, A.W.A., see Stark, J.M., 225
Visse, B., see Duverlie, G., 77

Waxweiler, S., see Mignon, B., 85
Weisman, Y., see Becker, Y., 307
Widell, A., see Bååth, L., 287
Wright, P.J., see Lin, B., 205

Yamada, O., see Matsumoto, T., 119
Yang, C.-S., see Liu, M.-Y., 107
Yu, S.L., see Lee, L.H., 243

Zimmerman, J.J., see Stark, J.M., 225

Subject Index

132 bp repeat, MDV-1, Marek's disease, Pathogenecity gene, MDV-2, MDV-3 (HVT), Antigen A gene, Polymerase chain reaction (PCR), 307
2,3,5-Triphenyl tetrazolium chloride, β-Galactosidase, Coliphage, Isopropyl-β-D-thiogalactoside, 5-bromo-4-chloro-3-indolyl-β-D-galactopyranoside, 31
5-bromo-4-chloro-3-indolyl-β-D-galactopyranoside, β-Galactosidase, Coliphage, Isopropyl-β-D-thiogalactoside, 2,3,5-Triphenyl tetrazolium chloride, 31
α-Herpesvirus, Marek's disease virus, Interference, Immediate-early promoter, Recombination, 195
β-Galactosidase, Coliphage, Isopropyl-β-D-thiogalactoside, 2,3,5-Triphenyl tetrazolium chloride, 5-bromo-4-chloro-3-indolyl-β-D-galactopyranoside, 31

Adherence, Neutrophil, Myeloperoxidase, Epithelial cell culture, Epithelium, Parainfluenza virus, 225
Anti-HCV, ELISA, Recombinant immunoblot assay, Polymerase chain reaction, 287
Anti-idiotype, Idiotype, Human cytomegalovirus, Immunoassay, 175
Antibody, PVY coat protein, C-terminal region, Synthetic polypeptide, 265
Antigen A gene, MDV-1, Marek's disease, Pathogenecity gene, 132 bp repeat, MDV-2, MDV-3 (HVT), Polymerase chain reaction (PCR), 307
Antigen detection, Influenza A, Membrane assay, 77
Antiviral chemotherapy, Cytomegalovirus, Rapid culture system, Monoclonal antibody, 219

Biotin-11-deoxyuridinetriphosphate, Rous-associated virus 2, Human immunodeficiency virus, Reverse transcriptase assay, 145
Bovine herpesvirus-1, Infections bovine rhinotracheitis virus, Deletion mutants, Vaccine, Thymidine kinase, Glycoprotein gIII, 45
Bovine viral diarrhoea virus, ELISA, Monoclonal antibody, BVDV, BVDV, persistently infected cattle, BVDV, antigen detection, 85
BVDV, ELISA, Bovine viral diarrhoea virus, Monoclonal antibody, BVDV, persistently infected cattle, BVDV, antigen detection, 85
BVDV, persistently infected cattle, ELISA, Bovine viral diarrhoea virus, Monoclonal antibody, BVDV, BVDV, antigen detection, 85
BVDV, antigen detection, ELISA, Bovine viral diarrhoea virus, Monoclonal antibody, BVDV, BVDV, persistently infected cattle, 85

C-terminal region, PVY coat protein, Synthetic polypeptide, Antibody, 265
Classification, RS virus, Restriction mapping, G gene, 297
Coliphage, β-Galactosidase, Isopropyl-β-D-thiogalactoside, 2,3,5-Triphenyl tetrazolium chloride, 5-bromo-4-chloro-3-indolyl-β-D-galactopyranoside, 31
Colorimetric-assay, HIV, Monocyte-macrophage cell, Micromethod, MTT, 275
Coxsackie virus, Hybridization, In situ, Oligonucleotide, 155
Cytomegalovirus, Polymerase chain reaction, Late transcript, 1
Cytomegalovirus, Rapid culture system, Monoclonal antibody, Antiviral chemotherapy, 219

Deletion mutants, Infections bovine rhinotracheitis virus, Bovine herpesvirus-1, Vaccine, Thymidine kinase, Glycoprotein gIII, 45
Dengue virus type 2, Topotype, Hydroxylamine, 205
Detection, Tobacco rattle virus, Reverse transcription, Polymerase chain reaction, Serological variant, NM-type isolate, 57
Detection, Viruses, Wastewater sludge, Elution-concentration process, 67
Dexamethasone treatment, Mouse mammary tumor virus, Quantitative flow cytometry, Envelope glycoprotein, Mammary tumor cell, 11
Diagnosis, HTLV-I, HTLV-II, Typing, Polymerase chain reaction, Restriction enzyme analysis, 163
DNA diagnosis, HSV, PCR, Dot blot, 119
DNA typing, ELISA, Poxvirus, Molluscum contagiosum virus antibody, 183
DNA-polymerase, Reverse transcriptase, ELISA, Retrovirus, HIV, 347
Dot blot, HSV, PCR, DNA diagnosis, 119

ELISA, Bovine viral diarrhoea virus, Monoclonal antibody, BVDV, persistently infected cattle, BVDV, antigen detection, 85
ELISA, Poxvirus, Molluscum contagiosum virus antibody, DNA typing, 183

ELISA, Anti-HCV, Recombinant immunoblot assay, Polymerase chain reaction, 287
ELISA, Reverse transcriptase, Retrovirus, DNA-polymerase, HIV, 347
Elution-concentration process, Viruses, Wastewater sludge, Detection, 67
Envelope glycoprotein, Mouse mammary tumor virus, Quantitative flow cytometry, Dexamethasone treatment, Mammary tumor cell, 11
Epithelial cell culture, Neutrophil, Adherence, Myeloperoxidase, Epithelium, Parainfluenza virus, 225
Epithelium, Neutrophil, Adherence, Myeloperoxidase, Epithelial cell culture, Parainfluenza virus, 225
Epstein-Barr virus, Thymidine kinase, 107

G gene, RS virus, Classification, Restriction mapping, 297
Glycoprotein gIII, Infections bovine rhinotracheitis virus, Bovine herpesvirus-1, Deletion mutants, Vaccine, Thymidine kinase, 45

Healthy adult, JC-specific IgM, MACRIA, Renal transplant recipient, 95
Hexamethylene-*bis*-acetamide, Latent herpes simplex virus, 323
HIV, Monocyte-macrophage cell, Colorimetric-assay, Micromethod, MTT, 275
HIV, Reverse transcriptase, ELISA, Retrovirus, DNA-polymerase, 347
HIV-1, Reverse transcriptase, Polymerase chain reaction, RNA, 331
HSV, PCR, Dot blot, DNA diagnosis, 119
HTLV-I, HTLV-II, Diagnosis, Typing, Polymerase chain reaction, Restriction enzyme analysis, 163
HTLV-II, HTLV-I, Diagnosis, Typing, Polymerase chain reaction, Restriction enzyme analysis, 163
Human T cell lymphotropic virus, types I and II, Polymerase chain reaction, In situ hybridization, Immunofluorescence microscopy, 133
Human cytomegalovirus, Idiotype, Anti-idiotype, Immunoassay, 175
Human immunodeficiency virus, Biotin-11-deoxyuridinetriphosphate, Rous-associated virus 2, Reverse transcriptase assay, 145
Hybridization, In situ, Coxsackie virus, Oligonucleotide, 155
Hydroxylamine, Dengue virus type 2, Topotype, 205

IBD diagnosis, Infectious bursal disease (IBD), Polymerase chain reaction, 243
Idiotype, Anti-idiotype, Human cytomegalovirus, Immunoassay, 175
Immediate-early promoter, Marek's disease virus, α-Herpesvirus, Interference, Recombination, 195
Immunoassay, Idiotype, Anti-idiotype, Human cytomegalovirus, 175
Immunofluorescence microscopy, Human T cell lymphotropic virus, types I and II, Polymerase chain reaction, In situ hybridization, 133
In situ, Hybridization, Coxsackie virus, Oligonucleotide, 155
In situ hybridization, Human T cell lymphotropic virus, types I and II, Polymerase chain reaction, Immunofluorescence microscopy, 133
Infections bovine rhinotracheitis virus, Bovine herpesvirus-1, Deletion mutants, Vaccine, Thymidine kinase, Glycoprotein gIII, 45
Infectious bursal disease (IBD), IBD diagnosis, Polymerase chain reaction, 243
Influenza A, Membrane assay, Antigen detection, 77
Interference, Marek's disease virus, α-Herpesvirus, Immediate-early promoter, Recombination, 195
Isopropyl-β-D-thiogalactoside, β-Galactosidase, Coliphage, 2,3,5-Triphenyl tetrazolium chloride, 5-bromo-4-chloro-3-indolyl-β-D-galactopyranoside, 31

JC-specific IgM, MACRIA, Renal transplant recipient, Healthy adult, 95

Late transcript, Polymerase chain reaction, Cytomegalovirus, 1
Latent herpes simplex virus, Hexamethylene-*bis*-acetamide, 323

Macaca fascicularis, Nucleotide sequence diversity, Polymerase chain reaction, 37
MACRIA, JC-specific IgM, Renal transplant recipient, Healthy adult, 95
Mammary tumor cell, Mouse mammary tumor virus, Quantitative flow cytometry, Envelope glycoprotein, Dexamethasone treatment, 11
Marek's disease, MDV-1, Pathogenecity gene, 132 bp repeat, MDV-2, MDV-3 (HVT), Antigen A gene, Polymerase chain reaction (PCR), 307
Marek's disease virus, α-Herpesvirus, Interference, Immediate-early promoter, Recombination, 195
MDV-1, Marek's disease, Pathogenecity gene, 132 bp repeat, MDV-2, MDV-3 (HVT), Antigen A gene, Polymerase chain reaction (PCR), 307
MDV-2, MDV-1, Marek's disease, Pathogenecity gene, 132 bp repeat, MDV-3 (HVT), Antigen A gene, Polymerase chain reaction (PCR), 307
MDV-3 (HVT), MDV-1, Marek's disease, Pathogenecity gene, 132 bp repeat, MDV-2, Antigen A gene, Polymerase chain reaction (PCR), 307

Membrane assay, Influenza A, Antigen detection, 77
Micromethod, HIV, Monocyte-macrophage cell, Colorimetric-assay, MTT, 275
Molluscum contagiosum virus antibody, ELISA, Poxvirus, DNA typing, 183
Monoclonal antibody, ELISA, Bovine viral diarrhoea virus, BVDV, BVDV, persistently infected cattle, BVDV, antigen detection, 85
Monoclonal antibody, Cytomegalovirus, Rapid culture system, Antiviral chemotherapy, 219
Monocyte-macrophage cell, HIV, Colorimetric-assay, Micromethod, MTT, 275
Mouse mammary tumor virus, Quantitative flow cytometry, Envelope glycoprotein, Dexamethasone treatment, Mammary tumor cell, 11
MTT, HIV, Monocyte-macrophage cell, Colorimetric-assay, Micromethod, 275
Myeloperoxidase, Neutrophil, Adherence, Epithelial cell culture, Epithelium, Parainfluenza virus, 225

Neutrophil, Adherence, Myeloperoxidase, Epithelial cell culture, Epithelium, Parainfluenza virus, 225
NM-type isolate, Tobacco rattle virus, Reverse transcription, Polymerase chain reaction, Detection, Serological variant, 57
Nucleotide sequence diversity, Polymerase chain reaction, *Macaca fascicularis*, 37

Oligonucleotide, Hybridization, In situ, Coxsackie virus, 155

Parainfluenza virus, Neutrophil, Adherence, Myeloperoxidase, Epithelial cell culture, Epithelium, 225
Pathogenecity gene, MDV-1, Marek's disease, 132 bp repeat, MDV-2, MDV-3 (HVT), Antigen A gene, Polymerase chain reaction (PCR), 307
PCR, HSV, Dot blot, DNA diagnosis, 119
Polymerase chain reaction, Cytomegalovirus, Late transcript, 1
Polymerase chain reaction, Nucleotide sequence diversity, *Macaca fascicularis*, 37
Polymerase chain reaction, Tobacco rattle virus, Reverse transcription, Detection, Serological variant, NM-type isolate, 57
Polymerase chain reaction, Human T cell lymphotropic virus, types I and II, In situ hybridization, Immunofluorescence microscopy, 133
Polymerase chain reaction, HTLV-I, HTLV-II, Diagnosis, Typing, Restriction enzyme analysis, 163
Polymerase chain reaction, Infectious bursal disease (IBD), IBD diagnosis, 243
Polymerase chain reaction, Ross River virus, Virus detection, 255
Polymerase chain reaction, Anti-HCV, ELISA, Recombinant immunoblot assay, 287
Polymerase chain reaction, Reverse transcriptase, HIV-1, RNA, 331
Polymerase chain reaction (PCR), MDV-1, Marek's disease, Pathogenecity gene, 132 bp repeat, MDV-2, MDV-3 (HVT), Antigen A gene, 307
Poxvirus, ELISA, Molluscum contagiosum virus antibody, DNA typing, 183
PVY coat protein, C-terminal region, Synthetic polypeptide, Antibody, 265

Quantitative flow cytometry, Mouse mammary tumor virus, Envelope glycoprotein, Dexamethasone treatment, Mammary tumor cell, 11

Rapid culture system, Cytomegalovirus, Monoclonal antibody, Antiviral chemotherapy, 219
Recombinant immunoblot assay, Anti-HCV, ELISA, Polymerase chain reaction, 287
Recombination, Marek's disease virus, α-Herpesvirus, Interference, Immediate-early promoter, 195
Renal transplant recipient, JC-specific IgM, MACRIA, Healthy adult, 95
Restriction enzyme analysis, HTLV-I, HTLV-II, Diagnosis, Typing, Polymerase chain reaction, 163
Restriction mapping, RS virus, Classification, G gene, 297
Retrovirus, Reverse transcriptase, ELISA, DNA-polymerase, HIV, 347
Reverse transcriptase, Polymerase chain reaction, HIV-1, RNA, 331
Reverse transcriptase, ELISA, Retrovirus, DNA-polymerase, HIV, 347
Reverse transcriptase assay, Biotin-11-deoxyuridinetriphosphate, Rous-associated virus 2, Human immunodeficiency virus, 145
Reverse transcription, Tobacco rattle virus, Polymerase chain reaction, Detection, Serological variant, NM-type isolate, 57
RNA, Reverse transcriptase, Polymerase chain reaction, HIV-1, 331
Ross River virus, Polymerase chain reaction, Virus detection, 255
Rous-associated virus 2, Biotin-11-deoxyuridinetriphosphate, Human immunodeficiency virus, Reverse transcriptase assay, 145
RS virus, Classification, Restriction mapping, G gene, 297

Serological variant, Tobacco rattle virus, Reverse transcription, Polymerase chain reaction, Detection, NM-type isolate, 57
Synthetic polypeptide, PVY coat protein, C-terminal region, Antibody, 265

Thymidine kinase, Infections bovine rhinotracheitis virus, Bovine herpesvirus-1, Deletion mutants, Vaccine, Glycoprotein gIII, 45
Thymidine kinase, Epstein-Barr virus, 107
Tobacco rattle virus, Reverse transcription, Polymerase chain reaction, Detection, Serological variant, NM-type isolate, 57
Topotype, Dengue virus type 2, Hydroxylamine, 205
Typing, HTLV-I, HTLV-II, Diagnosis, Polymerase chain reaction, Restriction enzyme analysis, 163

Vaccine, Infections bovine rhinotracheitis virus, Bovine herpesvirus-1, Deletion mutants, Thymidine kinase, Glycoprotein gIII, 45
Virus detection, Polymerase chain reaction, Ross River virus, 255
Viruses, Wastewater sludge, Elution-concentration process, Detection, 67

Wastewater sludge, Viruses, Elution-concentration process, Detection, 67